



Technical Support

If you need technical support with your Boss Audio product or have questions about its use, please contact us:

805.751.4853

www.BossAudio.com

Congratulations on your purchase of the Boss Audio Chaos EXXTREME Series Subwoofer. Boss Audio takes great pride in producing products that look great, sound great, and stand up to the daily rigors applied by audio enthusiasts around the world.

Due to ongoing technical advancements, specifications are subject to change without notice.



CX12 12" (30cm) Subwoofer


- *Single 4 Ω Voice Coil*
- *800 W Peak Power Handling*
- *High Temperature Voice Coil*
- *Foam Surround*



Enclosure

The CX12 is optimized for operation in a sealed enclosure. Since the woofer has pole-vent, it needs a minimum clearance from the rear wall of the enclosure of 0.75" (19 mm). Below you will find the dimensions to make the enclosure to suit the subwoofers needs, it has been designed for maximum output while retaining great sound quality. The dimensions have already accounted for the volume displacement of the subwoofer, using 3/4" (19mm) MDF. All dimensions are external.

Enclosure Dimensions



Sealed Dimensions:

Length (L) : 20" (508 mm)
Width (W) : 13" (330 mm)
Height (H) : 14" (356 mm)
Cutout Diameter: 11-1/8" (283 mm)
Int. Volume: 1.5 ft³


Wiring your Subwoofer

4 Ω




Multiple Subwoofers

Parallel
2 Ω



Series
8 Ω



Product Specifications

Impedance	4 Ω
Resonant Frequency	25 Hz
Qts	0.816
Qms	5.123
Qes	0.971
Vas	5.59 ft ³ (158.3 liters)
Xmax	4 mm
Sensitivity (1 W/ 1 m)	87 dB
Peak Power Handling	800 W
Mounting Depth	4-3/4" (121 mm)
Cutout Diameter	11-1/8" (283 mm)