



CADENCE

ATS 2.65

**POWERED PORTABLE RECREATIONAL SOUND
SYSTEM FEATURING AN INTERNAL AMPLIFIER
WITH 6.5" 2-WAY MARINE SPEAKERS**

ATS 2.65BT

**WIRELESS BLUETOOTH PORTABLE RECREATIONAL
SOUND SYSTEM FEATURING AN INTERNAL
AMPLIFIER WITH 6.5" 2-WAY MARINE SPEAKERS**

FEATURES

ATS2.65

POWERED PORTABLE RECREATIONAL SOUND SYSTEM FEATURING AN INTERNAL AMPLIFIER WITH 6.5" 2-WAY MARINE SPEAKERS


- WATER RESISTANT WITH WATERPROOF SPEAKERS (not intended for submersion)
- 3.5MM STEREO INPUT JACK ALLOWS USE OF THE SOUND SYSTEM WITH ANY DEVICE WITH HEADPHONE OR AUDIO OUTPUT.
- PLUG AND PLAY FOR EASY INSTALLATION
- 6.5" WOOFER WITH WATERPROOF POLY-CARBON CONE
- HIGH PERFORMANCE 1" PEI DOME NEODYMIUM TWEETER
- INTERNAL AMPLIFIER 120 WRMS @1% THD+N / 450 WATTS PEAK
- FREQUENCY RESPONSE: 45-25K HZ (-10Db)
- SENSITIVITY: 90dB 1W/1M
- INCLUDES (2) HEAVY DUTY ZIP TIES AND (2) HEAVY DUTY STRAPS WITH VELCRO FOR ANY MOUNTING POSITION
- IDEAL FOR ANYWHERE YOU WANT HIGH OUTPUT HIGH QUALITY SOUND: TAILGATING, GOLF CART, ATV/UTV, SMALL BOATS, JET SKI, OR SNOWMOBILE

ATS2.65BT

WIRELESS BLUETOOTH PORTABLE RECREATIONAL SOUND SYSTEM FEATURING AN INTERNAL AMPLIFIER WITH 6.5" 2-WAY MARINE SPEAKERS

- WATER RESISTANT WITH WATERPROOF SPEAKERS (not intended for submersion)
- WIRELESSLY CONNECT USING BLUETOOTH TO YOUR SMARTPHONE, TABLET, OR OTHER BLUETOOTH DEVICE
- AUX-IN WITH IN-LINE MULTI-FUNCTION CONTROL ALLOWS USE OF THE SOUND SYSTEM WITH ANY DEVICE WITH HEADPHONE OR AUDIO OUTPUT USING A 3.5MM STEREO INPUT JACK
- 6.5" WOOFER WITH WATERPROOF POLY-CARBON CONE
- HIGH PERFORMANCE 1" PEI DOME NEODYMIUM TWEETER
- INTERNAL AMPLIFIER 120 WRMS @1% THD+N / 450 WATTS PEAK
- FREQUENCY RESPONSE: 45-25K HZ (-10Db)
- SENSITIVITY: 90dB 1W/1M
- INCLUDES (2) HEAVY DUTY ZIP TIES AND (2) HEAVY DUTY STRAPS WITH VELCRO FOR ANY MOUNTING POSITION
- IDEAL FOR ANYWHERE YOU WANT HIGH OUTPUT HIGH QUALITY SOUND: TAILGATING, GOLF CART, ATV/UTV, SMALL BOATS, JET SKI, OR SNOWMOBILE

ACCESSORIES




1. Bluetooth Device Carrying Bag
2. Hard Wired 12V Lighter Port
3. Bluetooth Remote Control (ATS2.65BT only)
4. Belt for Carrying Bag
5. Mounting Belt to Attach Unit to ATV
6. Zip Ties for Wiring and Mounting
7. Bluetooth Controller Hook (ATS2.65BT only)
8. Black Industrial Velcro for P Clamp (ATS2.65BT only)
9. Pand Z shaped Clamps for Handlebar (ATS2.65BT only)


INSTALLATION PRECAUTIONS

- The unit has to be wired to a switched source to avoid draining your vehicles battery.
- Unit can be powered from a vehicles cigarette lighter port, or be hard wired to the battery.
- When wired directly to the vehicles battery, please insure proper fuse rating of 20 Amps is placed in line with the positive battery terminal.
- The unit is weather proof but should not be submerged in water under any circumstances.
- Unit can play audio out of any device that has a 3.5mm output audio jack.
- Use only the installation parts provided with the unit.


Installation:




1. Take the 12V lighter port and connect it to the battery posts of your ATV. Be aware on the proper polarity.



2. Use the supplied belt to attach your speaker unit to the preferred location on your ATV vehicle.



3. Plug the cigarette lighter into the 12V lighter port which has connected to the battery to power the unit.




4. Use the 3.5mm cable to connect to your MP3 or mobile device.

Following Instructions are for the ATS2.65BT Only


5. Please install belt for carrying bag in a secure easily accessible locating using the provided belt.
6. Please install the Bluetooth remote to your handlebars or any other preferred easily accessible location using a combination of , Bluetooth controller hook, velcro straps and Z and P clamp hardware.(See page 2 #3, Bluetooth installation is in below)
7. Be sure that all wires and units are securely tied down and properly contained with the included zip ties.(See page2 #6)

Bluetooth Controller Installation


1. Install "P" shaped clamp and/or "Z" shaped bracket (Item #9) and using the provided bolt attach the Bluetooth controller mounting hook (Item #7). The clamp tightness to the handlebar can be adjusted using the provided foam and rubber pads.




2. Slide the Bluetooth controller on to the hook.



3. Press down the Bluetooth controller hook and slide out the Bluetooth controller box at the same time to remove the Bluetooth controller



Bluetooth Pairing and Connection:



1. Connect Bluetooth controller box to your device
2. Press and Hold >|| for three seconds until power indicator lights (red)
3. The system will automatically go into pairing mode
The power indicator will turn red for about 7 seconds and then alternating red and blue (Bluetooth blue Power red)
Please be sure that Bluetooth is turned on your device Select Cadence on your device to connect Bluetooth controller (if the Bluetooth controller is connected the light will turn blue and not flash)
4. When the device is out of Bluetooth range, Bluetooth will be disconnected automatically and automatically reconnect when detected in range again. (If not please just repeat steps 1 and 2)
5. When Bluetooth is disconnected or the 3.5mm AUX Input is plugged in, the power indicator will glow red.

Playing Music:

1. Press >|| to start or pause the music
2. Press >>+ shortly for next track, Press and hold for Volume up
3. Press -<< shortly for previous track, Press and hold for Volume down

SAFETY PRECAUTIONS:

- Do not operate the ATS2.65 controls while driving. safe driving should always be your highest priority.
- Do not open or attempt to repair this unit yourself. Refer any repairs to a qualified Cadence technician.
- If there is smoke or any peculiar odor present during use or if there is damage to any of the components or enclosure, immediately disconnect power and send to your local dealer or service center as soon as possible.



CADENCE

Features and specifications subject to change and or improvement without notice.
Not responsible for errors and/or omissions though reviewed carefully.

Copyright by Cadence Acoustics LTD.
www.cadencesound.com